Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023

Replaced revision:3 (Dated 26/01/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PR93A Code:

Product name SICURAL SR 10

Chemical name and synonym Solution of acids and inorganic salts

1.2. Relevant identified uses of the substance or mixture and uses advised against

Treatment for the reduction of the slipperiness of ceramic and stone floors Intended use

Professional Identified Uses Industrial Consumer Professional uses: public sector (administration, education, entertainment, ERC: 8b, 8e. services, crafts) PROC: 10, 11, 19. PC· 1

1.3. Details of the supplier of the safety data sheet

Industria Chimica General S.r.l. Name Full address Via Repubblica di San Marino 8

District and Country 41122 Modena (MO)

(+39) 059 450991 / 059 450978 Tel.

(+39) 059 450615 Fax

e-mail address of the competent person

responsible for the Safety Data Sheet ricerca@generalchemical.it

Industria Chimica General S.r.l.

1.4. Emergency telephone number

For urgent inquiries refer to Milano, Italy (+39) 02 66101029 Centro Antiveleni Ospedale Niguarda Ca' Granda Pavia, Italy (+39) 0382 24444 Centro Antiveleni IRCSS Fondazione Maugeri Bergamo, Italy (+39) 800 883300 Centro Antiveleni Ospedali Riuniti Firenze, Italy (+39) 055 7947819 Centro Antiveleni Ospedale Careggi Roma, Italy (+39) 06 3054343 Centro Antiveleni Policlinico Gemelli

Roma, Italy (+39) 06 49978000 Centro Antiveleni Policlinico Umberto I Napoli, Italy (+39) 081 7472870 Centro Antiveleni Ospedale Cardarelli

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Causes severe skin burns and eye damage. Skin corrosion, category 1A H314

Serious eye damage, category 1 H318 Causes serious eye damage.

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 2 / 11

Replaced revision:3 (Dated 26/01/2021)

SECTION 2. Hazards identification .../>>

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P310 Immediately call a POISON CENTER / doctor / . .

P501 Dispose of the product / container in an authorized installation according to national and local regulations.

Contains: SULPHURIC ACID

AMMONIUM BIFLUORIDE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

FC.

INDEX

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

AMMONIUM BIFLUORIDE

CAS 1341-49-7 1 ≤ x < 5 Acute Tox. 3 H301, Skin Corr. 1B H314, Eye Dam. 1 H318

Skin Corr. 1B H314: ≥ 1%, Skin Irrit. 2 H315: ≥ 0,1%, Eye Dam. 1 H318: ≥ 1%,

Eye Irrit. 2 H319: ≥ 0,1%

009-009-00-4 LD50 Oral: 130

REACH Reg. 01-2119489180-38

215-676-4

SULPHURIC ACID

CAS 7664-93-9 $1 \le x < 5$ Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note according to

Annex VI to the CLP Regulation: B

EC 231-639-5 Skin Corr. 1A H314: ≥ 15%, Skin Irrit. 2 H315: ≥ 5%, Eye Dam. 1 H318: ≥ 15%,

Eye Irrit. 2 H319: ≥ 5%

INDEX 016-020-00-8 REACH Reg. 01-2119458838-20

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 3 / 11 Replaced revision:3 (Dated 26/01/2021)

SECTION 4. First aid measures .../>>

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or discomfort, consult a doctor immediately, showing the label and / or the safety data sheet. No special treatment provided.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

Do not breatile combastion p

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 4 / 11 Replaced revision:3 (Dated 26/01/2021)

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive

2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

91/322/EEC.

TLV-ACGIH ACGIH 2021

				AMMONIU	M BIFLUORIE	DE			
Threshold Limit Va	alue								
Туре	Country	ountry TWA/8h		STEL/15min		Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm				
OEL	EU	1,58	1	3,16	2		FLUORINE		
Predicted no-effect	t concentr	ation - PNE	C						
Normal value in fresh water							1,3	mg/l	
Normal value of STP microorganisms							76	mg/l	
Health - Derived no	o-effect lev	el - DNEL /	DMEL					_	
	Effe	cts on consu	umers				Effects on workers		
Route of exposu	ire Acu	te Acı	ute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
·	loca	ıl sys	temic	local	systemic	local	systemic	local	systemic
Inhalation									2,3 mg/m3

SULPHURIC ACID											
Threshold Limit Va	alue										
Type	Country	TWA/8h		STEL/15	STEL/15min		Observations				
		mg/m3	ppm	mg/m3	ppm						
OEL	EU	0,05									
TLV-ACGIH		0,2									
Predicted no-effect	t concentra	tion - PNEC									
Normal value in fresh water							0,0025	mg/l			
Normal value in marine water							0,00025	mg/l			
Normal value for fresh water sediment							0,002	mg/kg/d			
Normal value for					0,0002	mg/kg/d					
Normal value of					8,8	mg/l					
Health - Derived n	o-effect leve	el - DNEL / D	MEL								
	Effe	cts on consur	ners			Effects on worke					
Route of exposu	ire Acut	e Acut	e	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	syst	emic	local	systemic	local	systemic	local	systemic		
Inhalation						0,1 mg/m3		0,05 mg/m3			

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low

hazard ; MED = medium hazard ; HIGH = high hazard.

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 5 / 11

Replaced revision:3 (Dated 26/01/2021)

SECTION 8. Exposure controls/personal protection/>

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect your hands with category III work gloves (ref. Standard EN 374).

For the final choice of material for work gloves, the following must be considered: compatibility, degradation, breakage time and permeation. In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is unpredictable. Gloves have a wear time that depends on the duration and mode of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYÉ PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Appearance liquid Colour transparent Odour pungent Melting point / freezing point not available Initial boiling point 101 °C. Flammability not available Lower explosive limit not available Upper explosive limit not available Flash point not applicable Auto-ignition temperature not available Decomposition temperature not available рΗ

pH 1
Kinematic viscosity not available
Solubility soluble in water
Partition coefficient: n-octanol/water not available
Vapour pressure not available
Density and/or relative density 1 g/cm3
Relative vapour density not available
Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F) 0 %
Explosive properties not explosive
Oxidising properties non-oxidizing

Information

ΕN

Industria Chimica General S.r.l. PR93A - SICURAL SR 10

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 6 / 11 Replaced revision:3 (Dated 26/01/2021)

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances under normal conditions of use.

AMMONIUM BIFLUORIDE

Decomposes at temperatures above 230°C/446°F.

SULPHURIC ACID

Decomposes at 450°C/842°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

AMMONIUM BIFLUORIDE

Risk of explosion on contact with: chlorine trifluoride, bromine trifluoride. May react dangerously with: acids.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

SULPHURIC ACID

Incompatible with: flammable substances, reducing substances, basic substances, metals, organic substances, water.

10.6. Hazardous decomposition products

AMMONIUM BIFLUORIDE

May develop: fluorine, hydrogen fluoride, ammonia, nitrogen gas.

SULPHURIC ACID

May develop: sulphur oxides.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

AMMONIUM BIFLUORIDE

LD50 (Oral): 130 mg/kg rat

SULPHURIC ACID

LD50 (Oral): 2140 mg/kg rat

SKIN CORROSION / IRRITATION

ΕN

Industria Chimica General S.r.l. PR93A - SICURAL SR 10

Revision nr.4
Dated 09/02/2023
Printed on 09/02/2023
Page n. 7 / 11
Replaced revision:3 (Dated 26/01/2021)

SECTION 11. Toxicological information .../>>

Corrosive for the skin

Classification according to the experimental Ph value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

E١

Industria Chimica General S.r.l. PR93A - SICURAL SR 10

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 8 / 11 Replaced revision:3 (Dated 26/01/2021)

SECTION 11. Toxicological information .../>>

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

AMMONIUM BIFLUORIDE

LC50 - for Fish 237 mg/l/96h EC50 - for Crustacea 2394 mg/l/48h

SULPHURIC ACID

 LC50 - for Fish
 16 mg/l/96h

 EC50 - for Crustacea
 > 100 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 > 100 mg/l/72h

12.2. Persistence and degradability

AMMONIUM BIFLUORIDE

Degradability: information not available

SULPHURIC ACID

Degradability: information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

ΕN

Industria Chimica General S.r.l. PR93A - SICURAL SR 10

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 9 / 11

Replaced revision:3 (Dated 26/01/2021)

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1760

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, N.O.S. (ammonium bifluoride, sulphuric acid) IMDG: CORROSIVE LIQUID, N.O.S. (ammonium bifluoride, sulphuric acid) IATA: CORROSIVE LIQUID, N.O.S. (ammonium bifluoride, sulphuric acid)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80 Limited Quantities: 5 L Tunnel restriction code: (E)

Special provision: -

IMDG: EMS: F-A, S-B

IATA: Cargo: Maximum quantity: 60 L Packaging instructions: 856
Pass.: Maximum quantity: 5 L Packaging instructions: 852

Limited Quantities: 5 L

Special provision: A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point 3
Contained substance

Point 75

Point 65 AMMONIUM BIFLUORIDE REACH Reg.: 01-2119489180-38

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Regulated explosives precursor

The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to

EPY 11.2.1 - SDS 1004.14

F١

Industria Chimica General S.r.l. PR93A - SICURAL SR 10

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 10 / 11

Replaced revision:3 (Dated 26/01/2021)

SECTION 15. Regulatory information .../>>

reporting obligations as set out in Article 9.

All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

AMMONIUM BIFLUORIDE

SULPHURIC ACID

This safety data sheet contains one or more Exposure Scenarios in an integrated form. Contents have been included in sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3 Acute toxicity, category 3
Skin Corr. 1A Skin corrosion, category 1A
Eye Dam. 1 Serious eye damage, category 1

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Use descriptor system:

ERC 8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
 ERC 8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

PC 1 Adhesives, sealants

PROC 10 Roller application or brushingPROC 11 Non industrial spraying

PROC 19 Manual activities involving hand contact

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%

©EPY 11.2.1 - SDS 1004.14

Revision nr.4 Dated 09/02/2023 Printed on 09/02/2023 Page n. 11 / 11 Replaced revision:3 (Dated 26/01/2021)

SECTION 16. Other information .../>>

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 09 / 11 / 12 / 15 / 16.